



www.RadAcademy.co.uk

HIGH YIELD RAPIDS

CXR

- Apical pneumothorax
- Hilum
- Costophrenic angles
- Under the diaphragms
- Ribs
- Lungs
- Shoulders
- Clavicles

SHOULDER

- Glenohumeral joint
- Clavicle
- Scapula
- Ribs
- Lungs

WRIST

- Radius/Ulna
- Base/neck of 4th and 5th MC
- Scaphoid and scapholunate junction

HAND

- Base/Neck of 4th/5th MC
- Radius/Ulna
- Scaphoid and scapholunate junction
- Terminal tufts
- Phalanges and the rest of the MC



SKULL

- 'Eye-brow' sign
- Maxillary sinuses
- Inferior orbital rims
- Zygomatic arches
- Mandibles

PELVIS

- Neck of femur
- Head of femur
- Pubic rami
- Anterior inferior iliac spine and anterior superior iliac spine
- Sacral Ala
- Lumbar spine
- Bowel

AP KNEE

- Lateral knee (second)
- Tibial plateau
- Tibial spine

LATERAL KNEE

- Lipohearthrosis
- Tibial plateau
- Patella

LATERAL C-SPINE

- Vertebral heights
- Soft tissue swelling
- Pedicals
- Spinous process
- Mandible

AP C-SPINE

- Spinous process alignment
- Lung apices

LUMBAR/THORACIC SPINE

- Look for the 'owl'
- Vertebral heights
- Sacral Ala
- Bowel gas pattern



LATERAL ELBOW

- Posterior fat pad
- 'Champagne glass'
- Radial head
- Coronoid process

AP ELBOW

- Radial head
- Epicondyles

FOOT

- Head of 2nd and 3rd MT (Freiberg's infraction)
- Stress fracture
- LisFranc
- Base of 5th MT fracture
- Terminal tufts

*This is a list of high yield areas to look for when you are doing the rapid reporting component of the exam. It is by no means exhaustive and is meant to be a loose guide for the first areas to look at on the respective study. This is by no means a list that should be used for normal practice. RadAcademy has published this an advisory document for enrolled Bootcampers and the relevant Terms and Conditions therefore apply.

